



JP Concrete

DESIGN | SUPPLY | INSTALL

# CONCRETE BALLAST & KENTLEDGE BLOCKS

[www.jpconcrete.co.uk](http://www.jpconcrete.co.uk)



## Expert advice

Our product specialists will advise on the most cost-effective precast solution for your project.



## Quality Assured

We are proud to hold ISO: 9001, 14001 & 18001 Constructionline Silver Membership & SSIP




## Precast solutions

Our skilled teams of engineers, groundworkers & precast installers cover the entire project life-cycle.

# CONCRETE BALLAST & KENTLEDGE BLOCKS

Ballast Weights & Kentledge Blocks provide non-invasive counterweights to secure, scaffolding, hoarding and marquees or ballast for larger structures.



- ✓ Fast & Safe to Install
- ✓ No Groundwork Required
- ✓ Range of Sizes & Weights
- ✓ Available for Hire & Purchase
- ✓ Installation Service Available

## Features

Fast turnaround on orders from stock, Nationwide delivery and off-load service.

Wide range of block sizes to suit all projects and option to hire, if securing a temporary structure.

Can be customised to suit your preferred lifting & fixing method including, precast holes, additional lifting points, eye-bolts and channels.

The Concrete Ballast and Kentledge Blocks are suitable for a wide range of applications including:

- Marquee Weights
- Scaffolding Ballast
- Façade Retention
- Hoarding Ballast
- Crane Kentledge

If you require any further details please contact us and one of our product experts will be happy to provide more information. Call the team today to discuss your project.  
01158 220 282



# PRODUCT SPECIFICATIONS

Below is a table outlining the characteristics of the Ballast & Kentledge Blocks.

Here you can find information such as concrete strength & lifting detail.

If you require any further details please contact us and one of our product experts will be happy to provide more information.

## Concrete Strength

C40

Compressive strength of concrete after 28 days of curing.

## Connection



Precast elements have flat sides & do not interlock.

## Edge Detail



Chamfered edges create softer sight lines & reduce damage during installation.

## Concrete Finish

A

Smooth mould finish Type A to precast element, defined in British Standards.

# PRODUCT RANGE

We have a wide range of sizes to suit all projects and the blocks are also available for hire if securing a temporary structure.


The 850kg & 1000kg ballast blocks come with precast holes through the units, enabling multiple blocks to be linked together using scaffolding poles to create heavier ballast. This can be beneficial if site access is restricted and larger individual ballast blocks cannot be used. We can also manufacture bespoke kentledge blocks.

**500kg**  
**Marquee Weight**



Length **805mm**  
Width **445mm**  
Height **655mm**  
Weight **500kg**

**850kg**



Length **1200mm**  
Width **545mm**  
Height **600mm**  
Weight **850kg**

**1000kg**



Length **750mm**  
Width **750mm**  
Height **750mm**  
Weight **1000kg**

**1000kg**  
**Marquee Weight**



Length **805mm**  
Width **900mm**  
Height **655mm**  
Weight **1000kg**

**2400kg**



Length **1000mm**  
Width **1000mm**  
Height **1000mm**  
Weight **2400kg**

**5760kg**




Length **2000mm**  
Width **2000mm**  
Height **600mm**  
Weight **5760kg**



## Get clarity

Visit our new website and get to grips with our precast products in detailed 3D



NOTTINGHAM

DEVON

SUSSEX

Get a FREE quotation or advice  
Call **01158 220 282** or  
email: **info@jpconcrete.co.uk**

### Head Office

1 North Street, Okehampton,  
Devon EX20 1AR

### Manufacturing

Staunton Works, Staunton in the Vale,  
Nottingham NG13 9QB

### Sales & Marketing

Newhaven Enterprise Centre, Newhaven,  
East Sussex BN9 9BA